

**Town of Sundre
Municipal Planning Commission**

**Agenda
Regular Meeting
Tuesday February 16th, 2010 at 7:00 p.m.
Town of Sundre Municipal Office**

Present:

Absent:

Public:

(1) Call to Order:

(2) Adoption of Agenda:

(3) Adoption of Minutes:

Minutes of the January 25th, 2010 regular meeting.

(4) Development Applications:

4.1 Development Application No. 2010-001

Lot 1, Block 1, Plan 1347GF
Civic Address: 102 Centre Street North

Revisit application to erect 2' X 8' Electronic Message Sign

4.2 Development Application No. 2010-009

Lot 1, Block 16, Plan 0814094
Civic Address: 202 12th Avenue N.E.

1628 sq.ft. Single family dwelling, with 484 sq.ft. attached garage and 106 sq.ft. front deck and 134 sq.ft. rear deck.

Approved by John Whitesell subject to the following conditions; (1) As per application, drawings and plot plan submitted, (2) Requires a 14 day posting period before project can begin, and any development proceeded with by the applicant prior to the expiry of this period is done solely at the risk of the applicant, (3) Must conform to the Town of Sundre Land Use By-Law No. 705 with amendments, (4) All Provincial Government regulations where applicable, (5) A Real Property Report must be submitted to the Town Office **immediately upon completion of the framing of all structures** listed on the Development Application, (6) All contractors associated with the project are to obtain a Town of Sundre Business License, (7) Building grades and elevations must conform to the building grade sheets for the property, (8) Water service line shall be 3/4" or 1" Series 160 Municipal water line and Sewer service line shall be 4" Series SDR 28 or SDR 35, (9) Water and sewer lines shall be inspected by the Town of Sundre public works staff prior to the ditch being backfilled. Contact the Town Office when lines are ready for inspection. Water will not be turned on until

such time as an inspection has been made, (10) 2" thick by 4" wide Styrofoam insulation must be placed in ditch above water and sewer lines after backfilling ditch to a level 2-3 feet below grade, (11) Provisions be made for your plumber to install a water meter, supplied by the Town of Sundre. Notify the Town Office when ready for meter installation, (12) Minimum overall density of trees – one tree per 100 m² of the required 30% landscaped area and boulevard, (13) Before development begins, Alberta 1 Call must be contacted by the applicant to have all services and utilities marked and if development damages any services, the repairs will be completed at the applicant's sole expense, (14) This permit is approved with the understanding that there are no offsite effects, (15) It is the owner's responsibility to determine whether the use approved by this Development Permit is, in fact, achievable or whether such use may be constrained or precluded by site conditions including constraints on use resulting from environmental conditions or legislation, or both, (16) This permit is subject to all relevant environmental legislation and the Environmental Protection and Enhancement Act (Alberta).

4.3 Development Application No. 2010-010

Lot 7, Block 16, Plan 9912954
Civic Address: 216 -12th Avenue N.E.

1393 sq.ft. Single family dwelling with 5' X 26' front deck

Approved by John Whitesell subject to the following conditions; (1) As per application, drawings and plot plan submitted, (2) Requires a 14 day posting period before project can begin, and any development proceeded with by the applicant prior to the expiry of this period is done solely at the risk of the applicant, (3) Must conform to the Town of Sundre Land Use By-Law No. 705 with amendments, (4) All Provincial Government regulations where applicable, (5) A Real Property Report must be submitted to the Town Office **immediately upon completion of the framing of all structures** listed on the Development Application, (6) All contractors associated with the project are to obtain a Town of Sundre Business License, (7) Building grades and elevations must conform to the building grade sheets for the property, (8) Water service line shall be 3/4" or 1" Series 160 Municipal water line and Sewer service line shall be 4" Series SDR 28 or SDR 35, (9) Water and sewer lines shall be inspected by the Town of Sundre public works staff prior to the ditch being backfilled. Contact the Town Office when lines are ready for inspection. Water will not be turned on until such time as an inspection has been made, (10) 2" thick by 4" wide Styrofoam insulation must be placed in ditch above water and sewer lines after backfilling ditch to a level 2-3 feet below grade, (11) Provisions be made for your plumber to install a water meter, supplied by the Town of Sundre. Notify the Town Office when ready for meter installation, (12) Minimum overall density of trees – one tree per 100 m² of the required 30% landscaped area and boulevard, (13) Before development begins, Alberta 1 Call must be contacted by the applicant to have all services and utilities marked and if development damages any services, the repairs will be completed at the applicant's sole expense, (14) This permit is approved with the understanding that there are no offsite effects, (15) It is the owner's responsibility to determine whether the use approved by this Development Permit is, in fact, achievable or whether such use may be constrained or precluded by site conditions including constraints on use resulting from environmental conditions or legislation, or both, (16) This permit is subject to all relevant environmental legislation and the Environmental Protection and Enhancement Act (Alberta).

4.4 Development Application No. 2010-011

Lot 6, Block 16, Plan 9912954
Civic Address: 214 12th Avenue N.E.

1200 sq.ft. Single family dwelling with 8' X 22' front deck

Approved by John Whitesell subject to the following conditions; (1) As per application, drawings and plot plan submitted, (2) Requires a 14 day posting period before project can begin, and any development proceeded with by the applicant prior to the expiry of this period is done solely at the risk of the applicant, (3) Must conform to the Town of Sundre Land Use By-Law No. 705 with amendments, (4) All Provincial Government regulations where applicable, (5) A Real Property Report must be submitted to the Town Office **immediately upon completion of the framing of all structures** listed on the Development Application, (6) All contractors associated with the project are to obtain a Town of Sundre Business License, (7) Building grades and elevations must conform to the building grade sheets for the property, (8) Water service line shall be 3/4" or 1" Series 160 Municipal water line and Sewer service line shall be 4" Series SDR 28 or SDR 35, (9) Water and sewer lines shall be inspected by the Town of Sundre public works staff prior to the ditch being backfilled. Contact the Town Office when lines are ready for inspection. Water will not be turned on until such time as an inspection has been made, (10) 2" thick by 4" wide Styrofoam insulation must be placed in ditch above water and sewer lines after backfilling ditch to a level 2-3 feet below grade, (11) Provisions be made for your plumber to install a water meter, supplied by the Town of Sundre. Notify the Town Office when ready for meter installation, (12) Minimum overall density of trees – one tree per 100 m² of the required 30% landscaped area and boulevard, (13) Before development begins, Alberta 1 Call must be contacted by the applicant to have all services and utilities marked and if development damages any services, the repairs will be completed at the applicant's sole expense, (14) This permit is approved with the understanding that there are no offsite effects, (15) It is the owner's responsibility to determine whether the use approved by this Development Permit is, in fact, achievable or whether such use may be constrained or precluded by site conditions including constraints on use resulting from environmental conditions or legislation, or both, (16) This permit is subject to all relevant environmental legislation and the Environmental Protection and Enhancement Act (Alberta).

4.5 Development Application No. 2010-012

Lot 11 & 12, Plan 260FM
Civic Address: 107 Centre Street North

Hair Salon located within Suds N Stuff

4.6 Development Application No. 2010-013

Lot 1, Block 1, Plan 1347GF
Civic Address: 102 Centre Street N.

Consignment Clothing Store

(5) Mountain View County:

Application Referral:

(1) None

(6) Other Business:

(7) Adjournment: